

Table of Contents

Show-cmd history 3

Show-cmd history

All results of command jobs containing *show* commands get stored in the database, the *Diff node config* tool gives you an overview of these results.

Put in the nodename in question and click the *Get Commands* button.

Diff node config

XML (System) of NetYCE

Nodename

Get Commands

The available show commands stored will be listed, select the desired one and click the *Get Revisions* button.

Diff node config

XML (System) of NetYCE

Nodename

TE--RN12001

Get Commands

☐ show version (24)

☒ show running-config (3)

Get Revisions

Whereupon the dates of the beforehand selected commands will be shown, select the dates you want to compare: output will be shown underneath after clicking the *Show differences* button.

Diff node config

XML (System) of NetYCE

Nodename

TE--RN12001


Get Commands

	Timestamp	Command	JobID	Job info	Operator
<input checked="" type="checkbox"/>	2017-08-08 23:27:42	show running-config	null	no job info	null
<input checked="" type="checkbox"/>	2016-11-01 12:20:16	show running-config	null	no job info	null
<input type="checkbox"/>	2016-10-27 19:42:15	show running-config	null	no job info	null

Show differences

☒ Side by Side ☐ Inline

Context size



From:
<https://wiki.netyce.com/> - **Technical documentation**

Permanent link:
https://wiki.netyce.com/doku.php/menu:operate:tools:show_cmd_history

Last update: **2021/10/22 06:06**

