

Table of Contents

Startup config

Push startup configuration to node(s)

3

3

Startup config

Push startup configuration to node(s)

To push a startup configuration select the node(s) to push the startup configuration to by entering them in the Clients/Sites/Nodes list separated by comma, space, semicolon or newline or you can select the node(s) in question by selecting the client where the node resides, click the '>>' button and thereupon select the desired node(s) and click the Next button.

Push Startup configuration

Xml (System) of NetYCE

Clients/Sites/Nodes list

items should be separated
(comma, space, semicolon, newline)

Add list

Clientcodes

9999
1973
AMS
SBB_BT
SBB_BX
Amsterdam
CustX
CustY
ST_demo
Vienna
5000
FrieslandCam
ESXi

>>
<<

Selected Nodes (49)

lan-sw2
lan-sw3
lan-sw4
p1
p2
p3
p4
pe11
pe12
pe21
pe22
pe31
pe32

Next

Choose the desired time the startup configuration should be pushed to the node(s), check the “Reload node after config push” checkbox if you want the node to reboot after the startup configuration has been pushed. Depending on the configuration of your NetYCE application you might need to supply a Change-id, click the *Schedule* button to schedule the startup configuration job(s)

Schedule:

tomorrow

 at

5

05

 or ☐ Now

☒ Write **Startup-config** to node

☐ Reload node after config push (☒ Check redundancy)

Schedule

☒ Verbose

Change-id: C000xxxxxx

Cancel

The result of scheduling a startup configuration for 1 node.

Technical documentation - <https://wiki.netyce.com/>

Push Startup configuration

Xml (System) of NetYCE

Scheduling the following jobs:

0728_0002 -- SCHEDULED -- Fri 29-Jul-2016 05:05:02 -- **p4** Startup-config (no reload)

[Back](#)

From:

<https://wiki.netyce.com/> - **Technical documentation**

Permanent link:

<https://wiki.netyce.com/doku.php/menu:operate:tools:startup>

Last update: **2021/10/21 13:55**

