

Download WIKI installation files

This entire NetYCE Wiki can be installed locally at your NetYCE server. This will offer the full search capabilities of this site, but without the Internet access or the login requirements.

The local NetYCE WIKI installation consists of two parts. First there is the DokuWiki engine setup for NetYCE wiki and secondly the actual Wiki content. Both can be downloaded from this page and are **daily** updated. Normally, only the Wiki content part needs to be regularly downloaded and installed on your local YCE-server(s).

[wiki-engine.bin](#)
[yce-wiki.bin](#)

These NetYCE wiki installation distribution files can be installed using the NetYCE web-based front-end using the Admin - System - System status page. After requesting the full report, locate the "Install Wiki distribution" button and click the Choose file button next to it. Select the downloaded file and confirm (or drag it onto the Choose file button). Then click the **Install Wiki distribution** button.

Both parts need to be installed this way.

IMPORTANT

Before the **wiki-engine** and **yce-wiki** packages are installed, the system requires some one-time modifications.

Follow the "Regular setup" steps below. Should they fail, then please have the system administrator review or execute the steps in the "manual setup".

Regular setup

The regular setup involves a semi-automatic process for its first-time installation. The following steps will make the NetYCE system modifications to create a virtual host on your NetYCE server to use a dedicated unique URL for the NetYCE Wiki.

(1)

Add an alias (or Cname) to the DNS for this NetYCE server to access the Wiki.
E.g. **yce-wiki.my.domain**.

(2)

The application manager of the NetYCE system must login on the server and run - as **yce** user - the setup script: **yce_setup.pl**

Enter the chosen Wiki alias name and domain at the appropriate questions of this setup script.
Below a section of the dialog involved with this setup:

```
:::  
Login setup:  
  Domain name for login (single-sign-on cookie)? [netyce.org]  
  Hours until Login session expiry (single-sign-on cookie)? [12]  
Login setup:  
  Single-sign-on domain          Expire (hrs)  
  netyce.org                    12  
  Is this Login setup correct?  [Y]  
Wiki setup:  
  'yceseven' will use the NetYCE public Wiki server? [Y] n  
  The (alias) name of the local Wiki server? [wiki] wiki  
  the domain name of the local Wiki server? [netyce.org] netyce.org  
Wiki setup:  
  Local   Protocol Hostname          Domain  
Ip-address  
  yes     http    wiki                netyce.org  
  Is this Wiki setup correct?  [Y] y  
:::
```

When finishing the process, an updated Apache http configuration file will be generated and installed. The subsequent restarting of the http server will activate this change.

(3)

While at it, the administrator needs to verify that the PHP module for the Apache http server, `mod_php` is installed.

```
$ rpm -qa | grep -i php  
php-common-5.3.3-49.el6.x86_64  
php-cli-5.3.3-49.el6.x86_64  
php-5.3.3-49.el6.x86_64
```

The actual version numbers will likely to have changed to more recent values.

If **`mod_php`** is not installed, then do so using `yum` or `rpm`. The commands may vary depending on the administration procedures used by your organization.

```
$ sudo yum install mod_php  
Loaded plugins: fastestmirror, security  
Setting up Install Process  
Loading mirror speeds from cached hostfile  
* base: mirror.i3d.net  
* extras: nl.mirror.babylon.network  
* updates: mirror.prolocation.net  
base  
| 3.7 kB      00:00  
extras  
| 3.4 kB      00:00  
mariadb
```

```
| 2.9 kB      00:00
updates
| 3.4 kB      00:00
updates/primary_db
| 4.7 MB      00:01
Package php-5.3.3-49.el6.x86_64 already installed and latest version
Nothing to do
```

(4)

Now download and install the “wiki-engine.bin” and “yce-wiki.bin” files.

First the wiki-engine, then the yce-wiki. At the completion of the latter, the URL of step () will be linked to the yce-wiki content and any customer special Wiki pages included in your license file will be installed.

Before installation:



Executing:



Completed installation:



Manual setup

The “Manual setup” is a guide that can be used instead of the procedure above, but also serves to verify the procedure made all appropriate modifications. Especially if the httpd configuration file is not alterable by the **yce** functional user.

(1)

The NetYCE wiki installation distribution files can also be installed on the command line (as '**yce**' user).

First upload the downloaded 'wiki-engine.bin' image to your NetYCE server, then install it as user 'yce' using the command: **sh wiki-engine.bin**.

This will create a file tree under /opt/yce/lib/wiki. If a previous installation was found, it is renamed to wiki.0.

Likewise, install the Wiki content image using **sh yce-wiki.bin**

This will create a file tree under /opt/yce/lib/farm/yce-wiki. If a previous installation was found, it is renamed to yce-wiki.0.

If your /opt/yce/etc/yce_setup.xml file has the required attributes for <wiki /> under the <yce name="(hostname)"> object, then a url-like symlink to the yce-wiki directory might already exist.

(2)

Add an alias (or Cname) to the DNS for this NetYCE server to access the Wiki.
E.g. **yce-wiki.my.domain**.

(3)

Run - as yce user - **/opt/yce/system/yce_setup.pl**

Enter the chosen Wiki alias name and domain at the appropriate questions of this setup script.
This will modify the <wiki> attributes in the file /opt/yce/etc/yce_setup.xml

```
<wiki domain="my.domain" ip="" local="yes" name="yce-wiki" proto="http" />
```

(4)

Ensure the Apache **mod_php** is installed. See the "Regular setup" for details.

(5)

Modify the **/etc/httpd/conf/httpd.conf** configuration file in the following manner:

1) Define the various VirtualHosts as being based on the server **name** (instead of ip-address):

```
NameVirtualHost *:80
```

2) Insert a new VirtualHost for the new Wiki alias:

```
<VirtualHost *:80>

    ServerName yce-wiki.my.domain
    ServerAlias yce-wiki
    DocumentRoot "/opt/yce/lib/wiki"

</VirtualHost>
```

This section must appear BEFORE the VirtualHost of non-aliased the NetYCE application.

When completed, restart the http server (`sudo /etc/init.d/httpd restart`).

(6)

The wiki alias specified in the VirtualHost section above must link to the wiki content directory. The

content directory is located in **/opt/yce/lib/farm/yce-wiki**. Create a symbolic link from this directory to the specified wiki alias name:

As **'yce'** user:

```
cd /opt/yce/lib/farm
ln -s yce-wiki yce-wiki.my.domain
```

Ensure the PHP server can access the session directory to store temporary session information

As **'root'** user:

```
cd /var/lib
chown -R yce.nms php
```

Alternatively:

```
cd /opt/yce/lib/wiki
echo "php_value session.save_path '/var/opt/yce/jobs/session'">
.htaccess
mkdir /var/opt/yce/jobs/session
```

(7)

When making manual changes to the http configuration file, you need to make an additional step to ensure your changes are not overwritten by future automatic updates.

As **yce** user, edit the file **/opt/yce/etc/yce_setup.xml** and modify the **<configs>** attribute for **httpd** in **keep**:

```
<configs crontab="update" httpd="keep" mysql="update" network="update" />
```

From:

<https://wiki.netyce.com/> - **Technical documentation**

Permanent link:

https://wiki.netyce.com/doku.php?id=maintenance:downloads:wiki_updates

Last update: **2024/07/03 12:31**

